

EvoMax Channel & Grate

Available in two different models - 150H and 200H

Suitable for surface water drainage solutions for driveways and parking lots - supporting light vehicle traffic up to Class B. Both models consist of a HDPE channel and a galvanised grate


EVOMAX 1M CHANNEL VARIATIONS

MATERIAL	CODE	CLASS	MODEL	WEIGHT
High Density Polyethylene	81471	B	150H	9.9kg
High Density Polyethylene	81503	B	200H	11.85kg
High Density Polyethylene	81504	B	200H*	20.8kg

* With a Galvanised Heel Friendly Grate

SPECIFICATIONS - 1M CHANNEL & GRATE

Length: 1000mm
150H Width: 200mm
200H Width: 250mm
Height: 209mm



Dimensions		
Product	150	200
L	200	250
H	209	209
LN	150	200
H _i	150	150
Outlet Diameter		
D1	Ø110	Ø110
D2	Ø110, Ø160	Ø110, Ø160
All dimensions are in millimetres		

PRODUCT APPLICATIONS

Outdoor Areas
Driveways
High rainfall and waterflow areas
Residential & Commercial Carparks



*81503 pictured

GRATE OPTIONS



Galvanised
Steel



Heel Friendly
Galvanised Steel

Note: Heel Friendly Galvanised Steel is only an option for the 200H model.
150H is only available with Galvanised Steel grate



Warranty



Class B rated grates

If you are after Revit files or additional information, get in touch with us for more details:
marketing@everhard.com.au

TechnoDrain Channel & Grate


Available in two different models - 150H and 200H

Suitable for surface water drainage solutions for driveways and parking lots - supporting light vehicle traffic up to Class D. Both models consist of a HDPE channel, ductile iron grate and 4mm galvanised edge.

TECHNODRAIN CHANNEL VARIATIONS				
MATERIAL	CODE	CLASS	MODEL	WEIGHT
HDPE & Ductile Iron	81423	D	150H	19.80kg
HDPE & Ductile Iron	81380	D	200H	22kg

SPECIFICATIONS - 1M CHANNEL & GRATE

Length: 1000mm
 150H Width: 200mm
 200H Width: 250mm
 Height: 210mm



Dimensions		
Product	150H	200H
L	200	250
H	210	210
LN	150	200
H ₁	150	150
Outlet Diameter	3 x Ø110 1 x Ø160	3 x Ø110 1 x Ø160

All dimensions are in mm.

PRODUCT APPLICATIONS

Outdoor Areas
 Driveways
 High rainfall and waterflow areas
 Residential & Commercial Carparks



*81423 pictured

GRATE OPTIONS



Ductile Iron

Both 150H and 200H models of Technodrain come with Class D Ductile Iron Grates with a 4mm reinforced galvanised steel frame



Warranty



Class D rated grates

If you are after Revit files or additional information, get in touch with us for more details:
marketing@everhard.com.au

EvoMax & TechnoDrain




SPEC PACK

EvoMAX & TechnoDrain Components

Technobox 200H HDPE Sump Drain
for TechnoDrain
EI Code: 81381

Installed at the end of the drainage line to
capture debris and leaves

500 L x 260 W x 476mm H | 13.1kg



TechnoDrain 150H End Cap
EI Code: 81422

Provides an end point for Technodrain
& EvoMax 150H drainage system


0.10kg



TechnoDrain 200H End Cap
EI Code: 81402

Provides an end point for TechnoDrain
& EvoMax 200H drainage system

0.15kg



If you are after Revit files or additional information, get in touch with us for more details:
marketing@everhard.com.au