EvoMax







SPEC PACK

EvoMax Channel & Grate

Available in two different models - 150H and 200H


Suitable for surface water drainage solutions for driveways and parking lots - supporting light vehicle traffic up to Class B. Both models consist of a HDPE channel and a galvanised grate

EVOMAX 1M CHANNEL VARIATIONS					
MATERIAL	CODE	CLASS	MODEL	WEIGHT	
High Density Polyethylene	81471	В	150H	9.9kg	
High Density Polyethylene	81503	В	200H	11.85kg	
High Density Polyethylene	81504	В	200H*	20.8kg	

^{*} With a Galvanised Heel Friendly Grate

SPECIFICATIONS - 1M CHANNEL & GRATE

Length: 1000mm 150H Width: 200mm 200H Width: 250mm Height: 209mm



Dimensions					
Product	150	200			
L	200	250			
Н	209	209			
LN	150	200			
H,	150	150			
Outlet Diameter					
D1	Ø110	Ø110			
D2	Ø110, Ø160	Ø110, Ø160			
All dimensions are in millimetres					

PRODUCT APPLICATIONS

Outdoor Areas Driveways High rainfall and waterflow areas Residential & Commercial Carparks



GRATE OPTIONS





Galvanised Steel

Heel Friendly Galvanised Steel

Note: Heel Friendly Galvanised Steel is only an option for the 200H model. 150H is only available with Galvanised Steel grate





Warranty

Class B rated grates

If you are after Revit files or additional information, get in touch with us for more details: marketing@everhard.com.au

TechnoDrain







SPEC PACK

TechnoDrain Channel & Grate


Available in two different models - 150H and 200H

Suitable for surface water drainage solutions for driveways and parking lots - supporting light vehicle traffic up to Class D. Both models consist of a HDPE channel, ductile iron grate and 4mm galvanised edge.

TECHNODRAIN CHANNEL VARIATIONS					
MATERIAL	CODE	CLASS	MODEL	WEIGHT	
HDPE & Ductile Iron	81423	D	150H	19.80kg	
HDPE & Ductile Iron	81380	D	200H	22kg	

SPECIFICATIONS - 1M CHANNEL & GRATE

Length: 1000mm 150H Width: 200mm 200H Width: 250mm Height: 210mm



Dimensions					
Product	150H	200H			
L	200	250			
Н	210	210			
LN	150	200			
H _i	150	150			
Outlet Diameter	3 x Ø110 1 x Ø160	3 x Ø110 1 x Ø160			
All dir	mensions are ir	n mm.			

PRODUCT APPLICATIONS

Outdoor Areas Driveways High rainfall and waterflow areas Residential & Commercial Carparks



*81423 pictured

GRATE OPTIONS



Ductile Iron

Both 150H and 200H models of Technodrain come with Class D Ductile Iron Grates with a 4mm reinforced galvanised steel frame





Warranty

Class D rated grates

If you are after Revit files or additional information, get in touch with us for more details: marketing@everhard.com.au

EvoMax & TechnoDrain







SPEC PACK

EvoMAX & TechnoDrainComponents

TechnoDrain 150H End Cap El Code: 81422

Provides an end point for Technodrain & EvoMax 150H drainage system

0.10kg



TechnoDrain 200H End Cap El Code: 81402

Provides an end point for TechnoDrain & EvoMax 200H drainage system

0.15kg

