

600L SINGLE STORMWATER PUMP STATION 82610



AQ | Aqua**FLOW**

SPEC SHEET

AQUAFLOW 600L STORMWATER PUMP STATION 2L@6M/S

PRODUCT CODE: 82610

PUMP CODE: 82170 - Zoeller WU88

FEATURES:

- / Australian made
- / 250L,450L,600L inlet capacity
- / Lightweight & small footprint
- / Pre-plumbed ready for installation
- / Anti-buoyancy and self-anchoring design
- / 100% factory tested
- / Oil encased motor for heat dissipation
- / IP54 or IP56 rated controller
- / Pre-installed nylon pump lifts for safe and ease of maintenance
- / Ideal for stormwater and grey water applications
- / Low noise operation

DIMENSIONS:

1200mm H x 1150mm W

WEIGHT:

70kg

MATERIAL: PE Low/Medium Density

APPLICATIONS:

Single Dwellings Houses Pump-away applications Basement pump-away Civil developments Residential apartments Industrial complexes Garage and sheds

COMPLIANCES:

AS/NZS 1546.1.2008 Certified Regulatory compliance mark (RCM approved IP 54 & IP56 rated Ingress Protection Controller IP68 rated Ingress protection pumps

WARRANTY:


- 15 years on pump well
- 5 years on polymer cover
- 2 years on pump, parts and labour


Given that the pumps fitted to the system are submersible, the system will hold approximately 150 liters of fluid at all times. This ensures that the pump remains below the water level to prevent corrosion.




AQ | Aqua**FLOW**

PRODUCT DRAWING







Mounting Holes

Front View Bottom



