DuraDRAIN 150 Series

SPEC PACK

DuraDRAIN 150 Series Channel & Grate




DuraDRAIN is a heavy-duty commercial and residential drainage solution, suitable for carparks, driveways and commercial areas. With Class B and Class D grates in the range, and two size channels to choose from, there is a drainage solution for any project. DuraDRAIN channel and end caps are produced using 100% recycled polymer and are manufactured in Australia by Everhard.

DuraDRAIN 150 CHANNEL VARIATIONS					
MATERIAL	CODE	CLASS	MODEL	WEIGHT	
100% Recycled Polymer Channel & Galvanised Steel	81601	В	150	13.20kg	
100% Recycled Polymer Channel & Heelsafe Galvanised Steel	81602	В	150	12.84kg	
100% Recycled Polymer Channel & Ductile Iron Grate	81604	D	150	23.92kg	

SPECIFICATIONS - 150 SERIES CHANNEL & GRATE

Length: 1000mm Width: 202mm Height: 211mm



Dimensions			
Product	150		
L	202		
н	211		
LN	152		
н	150		
Outlet Diameter			
DI	Ø104		
D2	Ø180		
All dimensions are in millimetres			
	Product L H LN H Outle D1 D2		

PRODUCT APPLICATIONS

Driveways Residential & commercial carparks High rainfall and high waterflow areas



GRATE OPTIONS





Galvanised Steel Gal

Heelsafe Ductile Iron Galvanised Steel





Class B rated grates: 81601 . 81602 Class D rated grate: 81604

DuraDRAIN 200 Series

SPEC PACK

DuraDRAIN 200 Series Channel & Grate




DuraDRAIN is a heavy-duty commercial and residential drainage solution, suitable for carparks, driveways and commercial areas. With Class B and Class D grates in the range, and two size channels to choose from, there is a drainage solution for any project. DuraDRAIN channel and end caps are produced using 100% recycled polymer and are manufactured in Australia by Everhard.

DuraDRAIN 200 CHANNEL VARIATIONS					
MATERIAL	CODE	CLASS	MODEL	WEIGHT	
100% Recycled Polymer Channel & Galvanised Steel	81651	В	200	15.85kg	
100% Recycled Polymer Channel & Heelsafe Galvanised Steel	81652	В	200	15.32kg	
100% Recycled Polymer Channel & Ductile Iron Grate	81654	D	200	28.41kg	

SPECIFICATIONS - 200 SERIES CHANNEL & GRATE

Length: 1000mm Width: 252mm Height: 211mm



	Dimensions		
	Product	200	
	L	252	
1	н	211	
	LN	202	
211	н	150	
	Outle	t Diameter	
•	DI	Ø104	
	D2	Ø110, Ø160	
	All dimensions are in millimetre		

PRODUCT APPLICATIONS

Driveways Residential & commercial carparks High rainfall and high waterflow areas



GRATE OPTIONS





Galvanised Steel Galv

Heelsafe Ductile Iron Galvanised Steel





Class B rated grates: 81601 . 81602 Class D rated grate: 81604

CLASS

D


DuraDRAIN End Caps and Grates

SPEC PACK

DuraDRAIN 150 Series End Cap

DuraDRAIN 150 End Cap El Code: 81615 Provides an end point for the DuraDRAIN 150 Drainage System.






DuraDRAIN 200 Series End Cap

DuraDRAIN 200 End Cap El Code: 81665 Provides an end point for the DuraDRAIN 200 Drainage System.





DuraDRAIN Galvanised Grate



1000mm L x 20mm H x 150/200mm D

DuraDRAIN Heel Safe Galvanised Grate CLASS



1000mm L x 20mm H x 150/200mm D

DuraDRAIN Ductile Iron Grate



1000mm L x 20mm H x 150/200mm D





Complies with the following industry standards: 4586) Designed for Access and Mobility (AS

1428.1:2021) Load Rating: Class B (AS 3996:2019) Bicycle Tyre Penetration Resistant (AS

Complies with the following industry standards: 4586) Designed for Access and Mobility (AS 1428.1:2021) Load Rating: Class B (AS 3996:2019) Bicycle Tyre Penetration Resistant (AS

B

Complies with the following industry standards:

standards: AS 4586: P2 Wet Pendulum Load rated to Class D (AS 3996:2019)

Polymer channel warranty

Metal grate warranty

